

## CLAIMS

We claim:

- 1 A peelable foam coating composition, comprising an effective amount of  
an aqueous film forming polymeric resin,  
5 a release agent,  
a propellant,  
a thickening agent,  
a surfactant; and  
a profoamer
2. The peelable coating of Claim 1 including a dye or pigment in an effective  
amount of from 0.1 to 10.0 percent by weight
3. The peelable coating of Claim 1 including a thickening agent in an effective  
amount of from 0.01 to 5.0 percent by weight
- 4 The peelable coating of Claim 1 including an antifoam in an effective amount  
of from 0.01 to 1.0 percent by weight
- 5 The peelable coating of claim 1, including an effective amount of a plasticizer.
6. The peelable coating of claim 1 including an effective amount of an  
antiskinning agent.
7. The peelable coating of claim 1 including an effective amount of an antioxidant
- 8 The peelable coating of claim 1 including an effective amount of a carrier  
selected from the group consisting of an aqueous carrier, a solvent carrier, or  
combination thereof.

9        A foamy peelable coating composition, comprising.  
an aqueous polyurethane dispersion resin in an effective amount ranging from about  
75.0 percent to about 98.0 percent by weight of the total weight percent of the  
composition;

5                a release agent in an amount of from between 0.1 and 5.0 percent of the total  
weight percent of the composition,

and

              a propellant in an amount of from 5.0 to 20.0 percent of the total weight  
percent of the composition.

10        The peelable coating of Claim 9 including a dye or pigment in an effective  
amount of from 0.01 to 10.0 percent by weight

11        The peelable coating of Claim 9 including a thickening agent in an effective  
amount of from 0.01 to 5.0 percent by weight

12        The peelable coating of Claim 9 including a surfactant in an effective amount  
of from 0.01 to 10.0 percent by weight

13        The peelable coating of Claim 9 including an anti-skinning agent in an effective  
amount of from 0.01 to 1.0 percent by weight

14        The peelable coating of Claim 9 including an effective amount of a carrier  
selected from the group consisting of an aqueous carrier, a solvent carrier, or  
combination thereof.

9.        A peelable foam coating composition comprising  
              a vinyl toluene acrylate copolymer resin in an amount of from between 27.0 to  
30.0 weight percent;

              an aromatic solvent in an amount of from between 12.0 to 15.0;

an aliphatic solvent in an amount of from between 38.0 to 40.0 weight percent,  
a pigment in an amount of from between 3.0 to 5.0 weight percent,  
release agent in an amount of from between 5.0 to 7.0 weight percent,  
a propellant in an effective amount selected from the group consisting of a  
carbon dioxide and a hydrocarbon propellant,  
a plasticizer in an amount of from 6.0 to 9.0 weight percent; and  
a thickner in an amount of from 0.1 to 2.0 weight percent

---